2426

FLOUNDER
TAGGING
RECORDED ON 2427

R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. DAY YEAR (9-14)	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	2426	032	03 14 74	28HH	3535	7520

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0016	09	—	05	030	N	NW	15

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
3	CL	SH	S	FT	060	—	13	030

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
01				

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
—	—	—	—	—

POSITION	LATITUDE	LONGITUDE	LORAN 3H4	LORAN 3H5	DEPTH fms	C/C	TIME ON STATION PO	TIME ON STATION DO
START	35° 35′	75° 20′	1277	2935	16		1316	1317
FINISH	35° 34′	75° 20′	1259	2934	16		PU 1347	ON 1352

LENGTH WARF	SHIFT RPM	PITCH	GEAR DATA:
100	1109/5	50	

SPECIAL MODIFICATIONS

OPERATIONAL COMMENTS

OBSERVATIONS

Anadromous - Negative

P. dentatus — 100

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore242600unse

R/V DAN MOORE SPECIES LIST

STATION NUMBER 2426 DATE March 14 1974 ~~IDENTIFIED BY~~ Biologists BFH ABP

TOTAL CATCH WT. 800 SUBSAMPLE WT. _____ NO. BASKETS _____

Air 5°C Surf 9°C FF: 800 C: 1 M: — O: —

SPECIES	NUMBER	WEIGHT	DATA TAKEN *
Alosids (Negative)			
Morone (do)			
Sturgeon (do)			
P. dentatus	100	60	99% dabs - Tagged to 2426 2427
Cynoscion regalis (7 baskets)	885	450	1 basket subsampled
			Length-freq on other side.
Peprilus triacanthus	Few	1	
Menticirrhus americana	Few	10	Adults
Centropristes striata	Few	5	
Raja eglanteria	Few	20	
Micropogon undulatus	Few	10	Good size
Leiostomus xanthurus	Few	5	do.
Lophius americana	do	20	
Urophycis regius	do.	2	
Citharichthys sp.	Few	2	
Prionotus carolinus	do.	3	
Libinia	Few	1	

*Include type of data taken, i.e length, weight, scales, gonads, saved for identification, etc.

Cynoscion regalis

One basket subsample

300 - 309
310 - 319
320 - 329 II (2)
330 - 339 IIII (4)
340 - 349 ++++ III (8)
350 - 359 ++++ II (7)
360 - 369 ++++ ++++ III (13)
370 - 379 ++++ III (8)
380 - 389 ++++ III (8)
390 - 399 I (1)
400 - 409
410 - 419 II (2)
420 - 429
430 - 439
440 - 449 I (1)
450 - 459

USE THESE

333	367	362	378	387
343	355	362	442	340
386	354	341	355	365
332	370	418	329	365
351	391	362	365	334
379	360	345	376	383
352	360	340	412	351
383	368	315	380	341
374	357	367	324	
370	386	364	340	
386	363	342	370	
372	330			

2426